

# 133. STAINLESS STEEL SYRINGE FILTER HOLDER

### **Function:**

Stainless steel syringe filter holder is used to filter small volumes of liquids.

#### **Features:**

- Material: Contact parts: AISI 316L
  - Elastomer: PTFE
  - · Inlet: Female luer
  - Outlet: Male luer nozzle
  - Fits 25mm filter or 13 mm filter
  - Connects to a standard syringe with luer lock fittings
  - PTFE gaskets and O-ring permit autoclaving of the membrane in place without the filter sticking to the holder
  - Maximum inlet pressure: 6.8 bar

## **Application:**

- Enzymes
- Proteins
- Biological media, electrolyte solution
- Biological serum
- Cosmetics etc
- HPLC samples



#### **ORDERING INFORMATION:**

Part #	Description
133.000.001	Stainless steel 13 mm
	syringe filter holder
133.000.002	Stainless steel 25 mm
	syringe filter holder



All dimensions are in mm. unless and otherwise specified.

The information contained in this brochure is for guidance only. We reserve the right to modify any material or feature without notice in advance. For further information, please, consult our application specialist.

Filename: 133\_Syringe\_filter\_holder\_13\_25mm

Directory: C:\Users\user\Documents

Template:

C:\Users\user\AppData\Roaming\Microsoft\Templates\Normal.dot

m Title:

Subject:

Author: user

Keywords: Comments:

Creation Date: 23-12-2013 22:48:00

Change Number: 21

Last Saved On: 02-07-2014 23:02:00

Last Saved By: user

Total Editing Time: 201 Minutes

Last Printed On: 03-07-2014 06:39:00

As of Last Complete Printing
Number of Pages: 1

Number of Words: 157 (approx.)

Number of Characters: 898 (approx.)